Cleveland Range, LLC Customer Support & Training Center 760 Beta Drive, Suite D Mayfield Village, Ohio 44143 T +1.800.338.2204 www.ClevelandRange.com

Cleveland Range, LTD Manufacturing & Operations Facility 8251 Keele Street Concord, Ontario L4K1Z1 T +1.905.660.4747 www.ClevelandRange.com

Cleveland

November 18, 2024

Cleveland Certified Installation Program Update

Cleveland will now be adding Kettles and Skillets to the Installation Program effective December 2, 2024

Cleveland's Factory Authorized Servicer (FAS) will arrange and oversee the complete installation and start-up process to ensure proper operation.

PROGRAM POLICY

Standard Installation Pricing Includes:

- Travel to and from installation location by Factory Authorized Servicer (FAS) up to 100 miles round trip, (additional charge for sites over 100 miles round trip)
- Professionally reviewed and managed install process
- Delivery of purchased equipment
- Uncrating of purchased equipment
- Inspection of purchased equipment prior to install
- Assembly of purchased equipment
- Stacking of purchased equipment
- Placement of unit
- Leveling of unit
- Connection of existing utilities within 3 feet of unit
- Operational/functional test
- Disposal of new equipment packaging and dunnage
- Operator functional training on day of installation
- Equipment startup

Standard installation pricing does not include:

- Pre-installation site survey (required)
- Installation kit (recommended)
- Installation of water filtration, additional charges as shown below
- Special licensing and permits
- Installation at "secure" location (such as prisons) can be quoted
- Installation outside normal business hours
- Site modifications
- Some installation locations will require additional materials to be purchased by customer
- In the event the pre-installation site survey or installation visit is aborted due to the site not being ready, the customer will be required to pay the FAS directly for any additional labor and travel charges for subsequent visits.
- Disposal of old equipment, additional charge as shown below.

Scan for Digital Copy



Cleveland Range, LLC 760 Beta Drive, Suite D Mayfield Village, Ohio 44143 T +1.800.338.2204 www.ClevelandRange.com

Installation of First Unit*

Cleveland Range, LTD Customer Support & Training Center Manufacturing & Operations Facility 8251 Keele Street Concord, Ontario L4K1Z1 T+1.905.660.4747 www.ClevelandRange.com

Cleveland

Steamer Installation Prices

Available Cleveland Steamer Installation Programs

Part Number	Description	Net Price Each
11000115896	Tabletop Steamers: 22CET3/6, 22CGT3/6, 21CET, 21CGA5 Series	\$1,815.00
11000115898	Floor Model Steamers: 24CGA10, 24CEA10, 24CGA6.2, 24CGA10.2	\$2,625.00
11000115900	Floor Model Steamer: 24CGP10	\$3,652.00
Installation of S 11000115897	Second Unit Same Location, Same Time* Tabletop Steamers: 22CET, 22CGT, 21CET, 21CGA5 Series	Net Price Each \$981.00
11000115899	Floor Model Steamers: 24CGA10, 24CEA10, 24CGA6.2, 24CGA10.2	\$1,851.00
11000115901	Floor Model Steamer: 24CGP10	\$3,086.00
Additional Insta	allation Program Service Prices* Net Price Each	Net Price Each
11000116000	Pre installation Site Survey (Required)	\$311.00
11000116001	Water Filter Installation – standard system, only for filters include in	
	Cleveland Price List	\$274.00
11000116002	Disposal of Old Equipment	\$392.00

Installation Kits* Installation Kits contain the necessary parts to connect utilities to the equipment. Installation of the equipment requires common tools that are not included in the kits. One kit is required per unit. **Net Price Each**

INSTKITCET1	Install Kit for 22CET, 21CET 208, 220/240 Volt, 3 Phase	\$1,201.00
INSTKITCET2	Install Kit for 22CET, 21CET 440/480 Volt, 3 Phase	\$1,054.00
INSTKITCET3	Install Kit for 21CET16, 208,220, 240 Volt Series	\$1,078.00
INSTKITCET4	Install Kit for 24CEA10, 208,240, 480 Volt Series	\$1,391.00
INSTKITCGA5	Install Kit for 21CGA5, 22CGT3/6 Series	\$1,376.00
INSTKITCGA6	Install Kit for 24CGA, 24CGP Series	\$1,516.00
INSTKITCGA7	Install Kit for 24CGA10.2ES	\$1,516.00

Cleveland Range, LTD Customer Support & Training Center Manufacturing & Operations Facility 8251 Keele Street Concord, Ontario L4K1Z1 T +1.905.660.4747 www.ClevelandRange.com

Cleveland

Kettle and Tilt Skillet Installation Prices

Available Cleve	land Kettle and Tilt Skillet Installation Programs	
Installation of F	irst Unit*	
Part Number	Description	Net Price Each
11000115896	Tabletop kettles: KET3T, KET6T, KET12T, KGT6T, KGT12T, T/T skillets SET10, SET15, includes water faucet installation purchased from Cleveland	\$1,815.00
11000115902	Floor model Gas & Electric kettles KEL, KGL series, Tilt Skillets SEL, SGL TR-T1 series, includes water faucet installation purchased from Cleveland	\$2,400.00
	econd Unit Same Location, Same Time*	Net Price Each
11000115897	Tabletop kettles: KET3T, KET6T, KET12T, KGT6T, KGT12T, T/T skillets SET10, SET15	\$981.00
11000115903	Floor model Gas & Electric kettles KEL, KGL series, Tilt Skillets SEL, SGL TR-T1 series	\$1,200.00
Additional Insta	Illation Program Service Prices* Net Price Each	Net Price Each
11000116000 11000116002	Pre installation Site Survey (Required) Disposal of Old Equipment	\$311.00 \$392.00
		1
Installation Kits	* Installation Kits contain the necessary parts to connect utilities to the equipment. Insta es common tools that are not included in the kits. One kit is required per unit.	
Installation Kits equipment require	* Installation Kits contain the necessary parts to connect utilities to the equipment. Insta	allation of the
Installation Kits equipment require	* Installation Kits contain the necessary parts to connect utilities to the equipment. Insta es common tools that are not included in the kits. One kit is required per unit.	allation of the
Installation Kits equipment require For Gas model Ker INSTKGTLP Cord and Plug K	* Installation Kits contain the necessary parts to connect utilities to the equipment. Insta es common tools that are not included in the kits. One kit is required per unit. ttles and Tilt Skillets: ¾" Quick disconnect for all gas kettles and tilt skillets include ¾" gas line and	allation of the Net Price Each \$276.00
Installation Kits equipment require For Gas model Ker INSTKGTLP Cord and Plug K	 * Installation Kits contain the necessary parts to connect utilities to the equipment. Instances common tools that are not included in the kits. One kit is required per unit. ttles and Tilt Skillets: ¾" Quick disconnect for all gas kettles and tilt skillets include ¾" gas line and quick disconnect Hose, ¾" street elbow, cable with mounting bracket its for Electric kettles and tilt skillets: Refer to operators building requirements ine proper cord and plug kit for 25 AMP operation, 12 AWG x 8' long wire, 10-30P Plug 	allation of the Net Price Each \$276.00
Installation Kits equipment require For Gas model Ker INSTKGTLP Cord and Plug K sheet to determ INSTKEL25APLG INSTKEL35APLG	 * Installation Kits contain the necessary parts to connect utilities to the equipment. Installation Kits contain the necessary parts to connect utilities to the equipment. Installation tools that are not included in the kits. One kit is required per unit. ttles and Tilt Skillets: ¾" Quick disconnect for all gas kettles and tilt skillets include ¾" gas line and quick disconnect Hose, ¾" street elbow, cable with mounting bracket its for Electric kettles and tilt skillets: Refer to operators building requirements ine proper cord and plug kit for 25 AMP operation, 12 AWG x 8' long wire, 10-30P Plug for 35 AMP operation, 8 AWG x 8' long wire, 15-50P Plug 	allation of the Net Price Each \$276.00 and Cleveland spec \$138.00 \$219.00
Installation Kits equipment require For Gas model Ker INSTKGTLP Cord and Plug K sheet to determ INSTKEL25APLG INSTKEL35APLG INSTKEL45APLG	 * Installation Kits contain the necessary parts to connect utilities to the equipment. Installation Kits contain the necessary parts to connect utilities to the equipment. Installation tools that are not included in the kits. One kit is required per unit. ** Quick disconnect for all gas kettles and tilt skillets include ¾" gas line and quick disconnect Hose, ¾" street elbow, cable with mounting bracket its for Electric kettles and tilt skillets: Refer to operators building requirements ine proper cord and plug kit for 25 AMP operation, 12 AWG x 8' long wire, 10-30P Plug for 35 AMP operation, 8 AWG x 8' long wire, 15-50P Plug for 45 AMP operation, 6 AWG x 8' long wire, 15-50P plug 	allation of the Net Price Each \$276.00 and Cleveland spec \$138.00 \$219.00 \$255.00
Installation Kits equipment require For Gas model Ker INSTKGTLP Cord and Plug K sheet to determ INSTKEL25APLG INSTKEL35APLG INSTKEL45APLG INSTKEL60APLG	 * Installation Kits contain the necessary parts to connect utilities to the equipment. Installation Kits contain the necessary parts to connect utilities to the equipment. Installation tools that are not included in the kits. One kit is required per unit. * "Quick disconnect for all gas kettles and tilt skillets include ¾" gas line and quick disconnect Hose, ¾" street elbow, cable with mounting bracket its for Electric kettles and tilt skillets: Refer to operators building requirements ine proper cord and plug kit for 25 AMP operation, 12 AWG x 8' long wire, 10-30P Plug for 35 AMP operation, 8 AWG x 8' long wire, 15-50P Plug for 45 AMP operation, 6 AWG x 8' long wire, 15-50P plug for 60 AMP operation, 4 AWG x 8' long wire, 15-60P Plug 	allation of the Net Price Each \$276.00 and Cleveland spec \$138.00 \$219.00 \$255.00 \$358.00
Installation Kits equipment require For Gas model Ket INSTKGTLP Cord and Plug K sheet to determ INSTKEL25APLG INSTKEL35APLG INSTKEL45APLG INSTKEL60APLG INSTKEL80APHV	 * Installation Kits contain the necessary parts to connect utilities to the equipment. Installation Kits contain the necessary parts to connect utilities to the equipment. Installation tools that are not included in the kits. One kit is required per unit. * "Quick disconnect for all gas kettles and tilt skillets include %" gas line and quick disconnect Hose, %" street elbow, cable with mounting bracket its for Electric kettles and tilt skillets: Refer to operators building requirements ine proper cord and plug kit for 25 AMP operation, 12 AWG x 8' long wire, 10-30P Plug for 35 AMP operation, 8 AWG x 8' long wire, 15-50P Plug for 45 AMP operation, 6 AWG x 8' long wire, 15-50P Plug for 60 AMP operation, 4 AWG x 8' long wire, 15-60P Plug V for 80 AMP operation, 2 AWG x 8' long wire, hard wire 	allation of the Net Price Each \$276.00 and Cleveland spec \$138.00 \$219.00 \$255.00
Installation Kits equipment require For Gas model Ker INSTKGTLP Cord and Plug K sheet to determ INSTKEL25APLG INSTKEL35APLG INSTKEL45APLG INSTKEL60APLG	 * Installation Kits contain the necessary parts to connect utilities to the equipment. Installation Kits contain the necessary parts to connect utilities to the equipment. Installation tools that are not included in the kits. One kit is required per unit. * "Quick disconnect for all gas kettles and tilt skillets include ¾" gas line and quick disconnect Hose, ¾" street elbow, cable with mounting bracket its for Electric kettles and tilt skillets: Refer to operators building requirements ine proper cord and plug kit for 25 AMP operation, 12 AWG x 8' long wire, 10-30P Plug for 35 AMP operation, 8 AWG x 8' long wire, 15-50P Plug for 45 AMP operation, 6 AWG x 8' long wire, 15-60P Plug for 60 AMP operation, 4 AWG x 8' long wire, 15-60P Plug V for 80 AMP operation, 2 AWG x 8' long wire, hard wire 	allation of the Net Price Each \$276.00 and Cleveland spec \$138.00 \$219.00 \$255.00 \$358.00
Installation Kits equipment require For Gas model Ket INSTKGTLP Cord and Plug K sheet to determ INSTKEL25APLG INSTKEL35APLG INSTKEL45APLG INSTKEL60APLG INSTKEL80APHV	 * Installation Kits contain the necessary parts to connect utilities to the equipment. Installation Kits contain the necessary parts to connect utilities to the equipment. Installation tools that are not included in the kits. One kit is required per unit. * "Quick disconnect for all gas kettles and tilt skillets include ¾" gas line and quick disconnect Hose, ¾" street elbow, cable with mounting bracket its for Electric kettles and tilt skillets: Refer to operators building requirements ine proper cord and plug kit for 25 AMP operation, 12 AWG x 8' long wire, 10-30P Plug for 35 AMP operation, 8 AWG x 8' long wire, 15-50P Plug for 45 AMP operation, 6 AWG x 8' long wire, 15-50P Plug for 60 AMP operation, 4 AWG x 8' long wire, 15-60P Plug V for 80 AMP operation, 2 AWG x 8' long wire, hard wire W for 100 AMP operation, 2 AWG x 8' long wire, hard wire, includes 	allation of the Net Price Each \$276.00 and Cleveland spec \$138.00 \$219.00 \$255.00 \$358.00 \$774.00