



Visit www.clevelandrange.com to locate a service or sales representative in your area.

Cleveland

Unistand34

34" Equipment Stacking Stand

Installation Manual - One SteamChef™ Connectionless 22CCT6 Steamer on a Unistand34

This manual is updated as new information and models are released. Visit our website for the latest manual.

MODELS:

(1) 22CCT6
Unistand34

For your future reference.

Model # _____

Serial # _____



***Read the manual thoroughly.
Improper installation, operation or
maintenance can cause property
damage, injury, or death.***

Part # KE604944-2 Rev A
April 2024

The Installation of Cleveland Range steamers on this stand should only be performed by Cleveland Range authorized technicians. Read entire installation procedure before beginning.

This stand is intended for stacking **(1) SteamChef™ Connectionless 22CCT6 Steamer on a Unistand34**. An additional mounting kit, P/N KE004074, is needed.

MOUNTING KIT (P/N KE004074) PARTS LIST

Item No.	Part No.	Description	Qty
2*	KE003943*	Weldment; Leg; 22CCT6	4
3	KE604153	Foot Adapter; Stand Leg; 22CCT6	4
4	111013	Washer, Fender, 17/32" ID x 1-1/2" OD, SST	4
5	23153	Washer, Lock, 1/2, SST	4
6	111012	Screw, Hex Head, 1/2-13 x 3/4" Long, SST	4

*Supplied with or part of SteamChef™ Steamer

In addition to knowledge of this procedure, installer must be familiar with the instructions supplied with each 22CCT6 steamer. These instructions are part of Cleveland Range P/N KE004049-2.

For this installation, SteamChef™ 22CCT6 Stand Mounting Kit, P/N KE004074, is required and must be ordered separately as it is not included with stand.

To mount the SteamChef™ 22CCT6 steamer on the UniStand34 you must first take out the Aluminum Foot Leveling P/N KE604161 and replace all 4 legs with new stainless steel adapters P/N KE604153 that are included in the SteamChef™ 6 Stand Mounting Kit, P/N KE004074 as shown in the below pictures.

1. By using a Snap Ring Tool Remover, remove the Snap Ring from the bottom of the foot leveler P/N KE604161.
2. Unscrew the Foot Leveler P/N KE604161 from all 4 legs and replace them with the new stainless steel adapters P/N KE604153 (See pictures below).
3. Screw four legs with new stainless-steel adapters of 22CCT6 steamer into nuts inside bottom of steamer as shown in Figure 2.
4. Align steamer so that mounting bolts come up through holes marked "B" in Figure 3.
5. Rest the stainless-steel foot adapters from each leg of the steamer onto stand so the foot adapters holes are concentric with the holes on Unistand34 and resting on the top of stand. (See Figure 2)
6. Secure steamer to stand using four special washers nuts P/N 111013 (Item 4), four 1/2 lock washers P/N 23153 (Item 5), and four 1/2-13 hex head screws P/N 111012 (Item 6) from the mounting kit. Tighten the 1/2-13 hex head screws so that the SteamChef™ 22CCT6 is secure to stand.
7. Complete installation of steamer as outlined in its installation manual.



Figure 1
SteamChef™ 6 Re-Placement with new Foot Adapter




Figure 2
SteamChef™ 6 Mounting Instructions




Figure 3
SteamChef™ 22CCT6 Mounting

Cleveland

Cleveland Range, LLC
760 Beta Drive, Unit D
Mayfield Village, Ohio
44143
216.481.4900
800.338.2204

Every new piece of Welbilt Foodservice equipment comes with KitchenCare® and you choose the level of service that meets your operational needs from one restaurant to multiple locations

StarCare – Warranty & lifetime service, certified OEM parts, global parts inventory, performance audited

ExtraCare — CareCode, 24/7 Support, online/mobile product information

LifeCare – Install & equipment orientation, planned maintenance, KitchenConnect™, MenuConnect®

Talk with KitchenCare® • 1-844-724-CARE • www.mtwkitchencare.com



To learn how Welbilt Foodservice and its leading brands can equip you, visit our global web site at www.welbilt.com, then discover the regional or local resources available to you.

©2016 Welbilt Foodservice except where explicitly stated otherwise. All rights reserved. Continuing product improvement may necessitate change of specifications without notice.