

# SAFETY DATA SHEET

- US

## DISSOLVE DESCALER

Version	Revision Date:	Date of last issue: 03/28/2023	Print Date:
2.2	03/29/2023	Date of first issue: 09/14/2021	11/17/2023

### SECTION 1. IDENTIFICATION

Product name : DISSOLVE DESCALER

#### Manufacturer or supplier's details

Company name of supplier : J AND J INDUSTRIAL SALES INC  
PO Box 554  
Lorain, OH 44052-0554

Telephone : 4402440111  
Telefax : 4402443344

Emergency telephone :  
number

#### Recommended use of the chemical and restrictions on use

Recommended use : Decalcification agent

Restrictions on use : Restricted to professional users.

### SECTION 2. HAZARDS IDENTIFICATION


#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals : Category 1

Skin irritation : Category 2

Serious eye damage : Category 1

#### GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : May be corrosive to metals.  
Causes skin irritation.  
Causes serious eye damage.

Precautionary statements : **Prevention:**  
Keep only in original packaging.  
Wash skin thoroughly after handling.

# SAFETY DATA SHEET

- US

## DISSOLVE DESCALER

Version	Revision Date:	Date of last issue: 03/28/2023	Print Date:
2.2	03/29/2023	Date of first issue: 09/14/2021	11/17/2023

Wear protective gloves/ eye protection/ face protection.

### Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. If skin irritation occurs: Get medical advice/ attention. Absorb spillage to prevent material damage.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : water  
Acid.  
Solvent

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Hydrogen chloride	7647-01-0	Trade secret ( $\geq 5$ - $< 10$ )
(2-methoxymethylethoxy)propanol	34590-94-8	Trade secret ( $\geq 1$ - $< 5$ )

Actual concentration is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- If inhaled : Remove person to fresh air. If signs/symptoms continue, get medical attention.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
If breathing is irregular or stopped, administer artificial respiration.
- In case of skin contact : Take off all contaminated clothing immediately.  
Wash off immediately with soap and plenty of water.  
Get medical attention immediately if irritation develops and persists.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes.  
Get medical attention immediately.

# SAFETY DATA SHEET

- US

## DISSOLVE DESCALER

Version	Revision Date:	Date of last issue: 03/28/2023	Print Date:
2.2	03/29/2023	Date of first issue: 09/14/2021	11/17/2023

---

- If swallowed : Move the victim to fresh air.  
If unconscious, place in recovery position and seek medical advice.  
Keep respiratory tract clear.  
Do NOT induce vomiting.  
Rinse mouth with water.  
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Causes skin irritation.  
Skin contact may provoke the following symptoms:  
Erythema
- Notes to physician : Treat symptomatically.

---

### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Unsuitable extinguishing media : High volume water jet
- Hazardous combustion products : Carbon oxides  
Halogenated compounds
- Further information : Standard procedure for chemical fires.  
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.  
Exposure to decomposition products may be a hazard to health.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Evacuate personnel to safe areas.  
Use personal protective equipment.  
Ensure adequate ventilation.  
Do not breathe vapours or spray mist.  
Refer to protective measures listed in sections 7 and 8.
- Environmental precautions : Try to prevent the material from entering drains or water courses.  
Prevent further leakage or spillage if safe to do so.  
Local authorities should be advised if significant spillages cannot be contained.

# SAFETY DATA SHEET

- US

## DISSOLVE DESCALER

Version	Revision Date:	Date of last issue: 03/28/2023	Print Date:
2.2	03/29/2023	Date of first issue: 09/14/2021	11/17/2023

Methods and materials for containment and cleaning up : Neutralize with chalk, alkali solution or ammonia. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe vapours or spray mist.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Wash hands and face before breaks and immediately after handling the product.  
Do not get in eyes or mouth or on skin.  
Do not get on skin or clothing.  
Do not ingest.  
Do not repack.  
Do not re-use empty containers.  
These safety instructions also apply to empty packaging which may still contain product residues.  
Keep container closed when not in use.

Conditions for safe storage : Store in original container.  
Keep container closed when not in use.  
Keep in a cool place away from bases.  
Keep in a dry, cool and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Store in accordance with the particular national regulations.  
Keep in properly labelled containers.

Protect from frost.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Hydrogen chloride	7647-01-0	C	2 ppm	ACGIH (2007-01-01)
		C	5 ppm 7 mg/m <sup>3</sup>	NIOSH REL (2013-10-08)

# SAFETY DATA SHEET

- US

## DISSOLVE DESCALER

Version 2.2      Revision Date: 03/29/2023      Date of last issue: 03/28/2023      Print Date: 11/17/2023  
 Date of first issue: 09/14/2021

		C	5 ppm 7 mg/m <sup>3</sup>	OSHA Z-1 (2006-02-28)
(2-methoxymethylethoxy)propanol	34590-94-8	TWA	100 ppm 600 mg/m <sup>3</sup>	NIOSH REL (2013-10-08)
		ST	150 ppm 900 mg/m <sup>3</sup>	NIOSH REL (2013-10-08)
		TWA	100 ppm 600 mg/m <sup>3</sup>	OSHA Z-1 (1997-08-04)
		TWA	50 ppm	ACGIH (2022-01-01)

**Engineering measures** : Maintain air concentrations below occupational exposure standards.

### Personal protective equipment

**Respiratory protection** : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Type A

### Hand protection

Material : Nitrile rubber  
 Break through time : > 10 min  
 Protective index : Class 1

**Remarks** : Wear protective gloves. The break through time depends amongst other things on the material, the thickness and the type of glove and therefore has to be measured for each case.

**Eye protection** : Tightly fitting safety goggles

**Skin and body protection** : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.

**Protective measures** : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Hygiene measures** : Wash face, hands and any exposed skin thoroughly after handling.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance** : liquid

# SAFETY DATA SHEET

- US

## DISSOLVE DESCALER

Version	Revision Date:	Date of last issue: 03/28/2023	Print Date:
2.2	03/29/2023	Date of first issue: 09/14/2021	11/17/2023

---

Colour : yellow

Odour : pleasant

Odour Threshold : No data available

pH : 0.5 (68 °F / 20 °C)  
Concentration: 100 %

Melting point/range : No data available

Boiling point/boiling range : 212 °F / 100 °C

Flash point : does not flash

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Will not burn

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : 23 hPa (68 °F / 20 °C)

Relative vapour density : No data available

Relative density : 1.04 (68 °F / 20 °C)  
Reference substance: Water  
The value is calculated

Bulk density : No data available

Solubility(ies)

    Water solubility : soluble

    Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

# SAFETY DATA SHEET

- US

## DISSOLVE DESCALER

Version	Revision Date:	Date of last issue: 03/28/2023	Print Date:
2.2	03/29/2023	Date of first issue: 09/14/2021	11/17/2023

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : No data available

Sublimation point : No data available

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No hazards to be specially mentioned.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Exothermic reaction with alkalis.  
Corrosive in contact with metals  
Gives off hydrogen by reaction with metals.

Conditions to avoid : No conditions to be specially mentioned.

Incompatible materials : Bases  
Strong oxidizing agents  
Metals

Hazardous decomposition products : No decomposition if stored and applied as directed.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

##### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute dermal toxicity : Symptoms: Redness, Local irritation

# SAFETY DATA SHEET

- US

## DISSOLVE DESCALER

Version	Revision Date:	Date of last issue: 03/28/2023	Print Date:
2.2	03/29/2023	Date of first issue: 09/14/2021	11/17/2023

### Components:

#### **Hydrogen chloride:**

Acute oral toxicity : Assessment: The component/mixture is moderately toxic after single ingestion.

#### **(2-methoxymethylethoxy)propanol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg  
Method: OECD Test Guideline 402

### **Skin corrosion/irritation**

#### Product:

Species : Rabbit  
Exposure time : 4 h  
Assessment : Irritating to skin.  
Result : Skin irritation

Remarks : Irritating to skin.

### Components:

#### **Hydrogen chloride:**

Assessment : Causes burns.  
Result : Corrosive after 3 minutes to 1 hour of exposure

#### **(2-methoxymethylethoxy)propanol:**

Species : Rabbit  
Assessment : No skin irritation  
Result : No skin irritation

### **Serious eye damage/eye irritation**

#### Product:

Species : Bovine cornea  
Result : Irreversible effects on the eye  
Assessment : Risk of serious damage to eyes.  
Method : OECD Test Guideline 437

Remarks : Risk of serious damage to eyes.

### Components:

#### **Hydrogen chloride:**

Result : Corrosive

# SAFETY DATA SHEET

- US

## DISSOLVE DESCALER

Version	Revision Date:	Date of last issue: 03/28/2023	Print Date:
2.2	03/29/2023	Date of first issue: 09/14/2021	11/17/2023

Assessment : Corrosive

### **(2-methoxymethylethoxy)propanol:**

Species : Humans  
Result : No eye irritation  
Assessment : No eye irritation

Species : Rabbit  
Result : No eye irritation  
Assessment : No eye irritation

### **Respiratory or skin sensitisation**

#### **Product:**

Remarks : This information is not available.

#### **Components:**

##### **Hydrogen chloride:**

Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

##### **(2-methoxymethylethoxy)propanol:**

Assessment : Does not cause skin sensitisation.  
Result : Does not cause skin sensitisation.

### **Germ cell mutagenicity**

#### **Product:**

Genotoxicity in vitro : Remarks: No data available

Genotoxicity in vivo : Remarks: No data available

### **Carcinogenicity**

#### **Product:**

Remarks : No data available

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**IARC  
OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

# SAFETY DATA SHEET

- US

## DISSOLVE DESCALER

Version	Revision Date:	Date of last issue: 03/28/2023	Print Date:
2.2	03/29/2023	Date of first issue: 09/14/2021	11/17/2023

### Reproductive toxicity

#### Product:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

### STOT - single exposure

#### Components:

##### Hydrogen chloride:

Exposure routes : Inhalation  
Target Organs : Respiratory Tract  
Assessment : The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

##### (2-methoxymethylethoxy)propanol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

#### Components:

##### (2-methoxymethylethoxy)propanol:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### Repeated dose toxicity

#### Product:

Remarks : This information is not available.

### Aspiration toxicity

#### Product:

This information is not available.

#### Components:

##### Hydrogen chloride:

No aspiration toxicity classification

##### (2-methoxymethylethoxy)propanol:

No aspiration toxicity classification

# SAFETY DATA SHEET

- US

## DISSOLVE DESCALER

Version	Revision Date:	Date of last issue: 03/28/2023	Print Date:
2.2	03/29/2023	Date of first issue: 09/14/2021	11/17/2023

### Further information

#### Product:

Remarks : Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Product:

Toxicity to fish : Remarks: No data available

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to microorganisms : Remarks: No data available

#### Components:

##### **(2-methoxymethylethoxy)propanol:**

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l  
Exposure time: 96 h  
Test Type: static test  
Method: OECD Test Guideline 203  
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,919 mg/l  
Exposure time: 48 h  
Test Type: Immobilization  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Selenastrum capricornutum (green algae)): > 969 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

# SAFETY DATA SHEET

- US

## DISSOLVE DESCALER

Version	Revision Date:	Date of last issue: 03/28/2023	Print Date:
2.2	03/29/2023	Date of first issue: 09/14/2021	11/17/2023

### Persistence and degradability

#### Product:

Biodegradability : Remarks: No data available

Physico-chemical  
removability : Remarks: No data available

#### Components:

##### **(2-methoxymethylethoxy)propanol:**

Biodegradability : aerobic  
Result: rapidly biodegradable  
Biodegradation: 75 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

### Bioaccumulative potential

#### Product:

Bioaccumulation : Remarks: This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT).  
This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### Components:

##### **Hydrogen chloride:**

Partition coefficient: n-  
octanol/water : log Pow: 0.25

##### **(2-methoxymethylethoxy)propanol:**

Partition coefficient: n-  
octanol/water : log Pow: 0.004 (77 °F / 25 °C)

### Mobility in soil

#### Product:

Mobility : Remarks: No data available

Distribution among  
environmental compartments : Remarks: No data available

# SAFETY DATA SHEET

- US

## DISSOLVE DESCALER

Version	Revision Date:	Date of last issue: 03/28/2023	Print Date:
2.2	03/29/2023	Date of first issue: 09/14/2021	11/17/2023

### Other adverse effects

#### **Product:**

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82  
Protection of Stratospheric Ozone - CAA Section 602 Class I  
Substances  
Remarks: This product neither contains, nor was  
manufactured with a Class I or Class II ODS as defined by the  
U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A +  
B).

Additional ecological information : No information on ecology is available.

#### **Components:**

#### **Hydrogen chloride:**

Results of PBT and vPvB assessment : Non-classified vPvB substance Non-classified PBT substance

## SECTION 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : The product should not be allowed to enter drains, water  
courses or the soil.  
Do not dispose of with domestic refuse.  
Dispose of as hazardous waste in compliance with local and  
national regulations.

Contaminated packaging : Packaging that is not properly emptied must be disposed of as  
the unused product.  
Dispose of waste product or used containers according to  
local regulations.

## SECTION 14. TRANSPORT INFORMATION

### International Regulations

#### **UNRTDG**

UN number : UN 1789  
Proper shipping name : HYDROCHLORIC ACID SOLUTION, HYDROCHLORIC ACID  
Class : 8  
Packing group : III  
Labels : 8

#### **IATA-DGR**

UN/ID No. : UN 1789

# SAFETY DATA SHEET

- US

## DISSOLVE DESCALER

Version	Revision Date:	Date of last issue: 03/28/2023	Print Date:
2.2	03/29/2023	Date of first issue: 09/14/2021	11/17/2023

Proper shipping name : Hydrochloric acid, solution, Hydrochloric acid  
Class : 8  
Packing group : III  
Labels : Corrosives  
Packing instruction (cargo aircraft) : 856  
Packing instruction (passenger aircraft) : 852

### IMDG-Code

UN number : UN 1789  
Proper shipping name : HYDROCHLORIC ACID SOLUTION, HYDROCHLORIC ACID

Class : 8  
Packing group : III  
Labels : 8  
EmS Code : F-A, S-B  
Marine pollutant : no

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### 49 CFR

Not regulated as a dangerous good

Remarks : Not Regulated by ground transportation only per exception in 49 CFR §173.154(d)(1).

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Corrosive to metals  
Serious eye damage or eye irritation  
Skin corrosion or irritation

**SARA 313** : The following components are subject to reporting levels established by SARA Title III, Section 313:

Hydrogen chloride	7647-01-0	>= 5 - < 10 %
-------------------	-----------	---------------

# SAFETY DATA SHEET

- US

## DISSOLVE DESCALER

Version	Revision Date:	Date of last issue: 03/28/2023	Print Date:
2.2	03/29/2023	Date of first issue: 09/14/2021	11/17/2023

### Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 112 (40 CFR 61):

Hydrogen chloride	7647-01-0	>= 5 - < 10 %
-------------------	-----------	---------------

### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## SECTION 16. OTHER INFORMATION

### Further information

#### Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	:	USA. NIOSH Recommended Exposure Limits
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / C	:	Ceiling limit
NIOSH REL / TWA	:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST	:	STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
NIOSH REL / C	:	Ceiling value not be exceeded at any time.
OSHA Z-1 / TWA	:	8-hour time weighted average
OSHA Z-1 / C	:	Ceiling

AIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -

# SAFETY DATA SHEET

- US

## DISSOLVE DESCALER

Version	Revision Date:	Date of last issue: 03/28/2023	Print Date:
2.2	03/29/2023	Date of first issue: 09/14/2021	11/17/2023

International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 03/29/2023

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.